

11-7-00

A

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of: Venky Narayanaswamy  
 Title: INERT-GAS BASED LEAVENED DOUGH SYSTEM  
 Attorney Docket No.: 869.005US1(5302)

**PATENT APPLICATION TRANSMITTAL**

**BOX PATENT APPLICATION**

Commissioner for Patents  
 Washington, D.C. 20231

We are transmitting herewith the following attached items and information (as indicated with an "X"):

- X Return postcard.  
 X Utility Patent Application under 37 CFR § 1.53(b) comprising:  
 X Specification ( 16 pgs, including claims numbered 1 through 30 and a 1 page Abstract).  
 X Unsigned Combined Declaration and Power of Attorney ( 3 pgs).

The filing fee (NOT ENCLOSED) will be calculated as follows:

	No. Filed	No. Extra	Rate	Fee
TOTAL CLAIMS	30 - 20 =	10	x 18 =	\$180.00
INDEPENDENT CLAIMS	5 - 3 =	2	x 80 =	\$160.00
[ ] MULTIPLE DEPENDENT CLAIMS PRESENTED				\$0.00
BASIC FEE				\$710.00
TOTAL				\$1,050.00

**THE FILING FEE WILL BE PAID UPON RECEIPT OF THE NOTICE TO FILE MISSING PARTS.**

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.  
 P.O. Box 2938, Minneapolis, MN 55402 (612-373-6900)

By: J. M. Kalis  
 Atty: Janal M. Kalis  
 Reg. No. 37,650

**Customer Number 21186**

"Express Mail" mailing label number: EL618436971US

Date of Deposit: November 6, 2000

This paper or fee is being deposited on the date indicated above with the United States Postal Service pursuant to 37 CFR 1.10, and is addressed to the Commissioner for Patents, Box Patent Application, Washington, D.C. 20231.

## **INERT-GAS BASED LEAVENED DOUGH SYSTEM**

5

### **Background of the Invention**

The present invention relates to packaged food articles and to their methods of preparation. More particularly, the present invention relates to articles comprising a gas-impermeable container and a dough for baked goods that are storage stable at room temperature.

10

Preparation of baked goods such as sweet rolls, and biscuits from "scratch" has become a luxury that few households can routinely afford. Demands on homemakers' time and, increasingly, a very high expectation of quality, make it difficult for a homemaker to routinely prepare these types of goods. Furthermore, with other options available, such as purchasing pre-prepared biscuits and rolls, 15 homemakers do not have to make these products from "scratch." One problem with pre-prepared biscuits and rolls, however, is that these products do not have the desired organoleptic properties of freshly baked home-made products.

Several products have been developed in an attempt to accommodate time restraints of homemakers and to provide a freshly baked product. These 20 products include dry mixes and refrigerated doughs. For instance, EP Application number 868,850, filed April 4, 1997, describes a shelf stable cake dough that has a water activity below 0.85. The dough is packed in a gas-impermeable pouch in an atmosphere of an inert gas containing preferably less than 2% oxygen by volume. A high concentration of sugar is used to lower the water activity.

25

U.S. Patent No. 5,178,893, which issued January 12, 1993, describes a ready to bake dough, used to make bread, biscuits, and pastries. The dough includes water in a concentration of 8-20% by weight. The dough is prepared by making a premix comprising flour and fat and heating the premix. If water is added, the premix is heated under pressure.

30

Another shelf stable dough is described in U.S. Patent No. 4,904,493, which issued February 27, 1990. This patent describes a biscuit dough with a water activity within a range of 0.6 to 0.8. The dough is made with inactivated flour. EP Application 443 219 A1 describes extending shelf life of a dough by sterilizing each of an aqueous phase, and oil phase prior to mixing.

35

The Levitz Patent, U.S. No. 3,767,422, which issued October 23, 1973, describes a shelf stable dough composition that has a moisture level between

18 and 24 percent. The dough contains pregelatinized starch and a cereal component comprising over-worked gluten. The dough is chemically leavened.

The Vasseneix Patent, U.S. No. 5,384,139, which issued January 24, 1995, describes a method for rendering a food composition shelf stable. The method includes separating wet and dry components in compartmentalized packaging.

The Lin et al. Patent, U.S. No. 5, 624, 697, describes a dough that is proofed and then heated in order to form a skin. The skin imparts a structural integrity that inhibits moisture loss and that retains the shape of the proofed dough.

### Summary of the Invention

In its product aspect, the present invention resides in a ready-to-use dough article that provides an expanded baked product, such as a roll, pizza dough, biscuit, or scone. The dough article comprises a substantially gas-impermeable container. The dough article also comprises a dough having a cellular network that has expanded the dough. The expanded dough is disposed within the container. The dough comprises flour, a fat and water wherein the water activity is less than about 0.85. The dough article also comprises an inert gas that is disposed within the container. The dough contains less than about 4% residual oxygen. The dough is substantially free of an active leavening agent. For some embodiments, the dough includes an encapsulated leavening agent.

In one method aspect, the present invention resides in a method for making a ready-to-use dough article. The method comprises preparing a dry blend comprising flour and preparing a wet blend comprising water and fat. The wet blend and the dry blend are mixed to form a dough that has a water activity that is no greater than 0.85. For some embodiments, the method further comprises injecting an inert gas into the dough to form a dough that comprises an expanded cellular structure. For other embodiments, inert gas is not injected into the dough. For some embodiments, an encapsulated leavening agent is added to the dough.

In another method aspect of one and the same invention, the present invention resides in a method for expanding a dough. The method comprises preparing a high density dough. The high density dough is admixed with an inert gas to make a low density dough with an expanded, cellular structure.

### **Detailed Description**

The present invention relates to packaged, ready-to-bake doughs for leavened low sugar-high flour food products such as sweet rolls, pizza dough or biscuits characterized by shelf stability at room temperature and to their methods of preparation. Each of the food product components as well as product use and attributes and methods of preparation are described in detail herein.

Throughout the specification and claims, percentages are by weight and temperatures and degrees Fahrenheit unless otherwise indicated.

The food products comprise a gas impermeable container; a low water activity, low to medium sugar to flour ratio, expanded dough disposed within and partially filling the container; and an unpressurized, inert low oxygen gas atmosphere in the unfilled head space.

The container used in one embodiment of the present invention is either flexible or rigid or semi-rigid and of any suitable shape or configuration. For example, one type of container suitable for use includes a gas impermeable container such as a pouch fabricated from flexible laminate materials having low gas permeability. One suitable laminate is a gas impermeable polyester-aluminum-polyester laminate. Also useful are tubs fabricated from plastic, glass or metal.

In other variations, the container or portions thereof serve as a disposable baking container. For example, the container comprises an aluminum or an ovenable plastic baking tray or tub having an overlaying peelable gas impermeable foil membrane. Having the container function as a baking container adds further convenience by eliminating transfer of the dough from the container to the baking utensil.

The food product further comprises an expanded ready-to-bake dough disposed within the container. The dough comprises flour, fat and moisture. The dough optionally includes sugar and an encapsulated chemical leavening system or yeast.

“Dough” as used herein refers to an intermediate food product that has a gluten-based structure. In dough, the gluten forms a continuous dough elastic medium into which other ingredients are embedded. A dough is typically prepared by mixing, and kneading and is often stiff enough to cut into various shapes. Doughs are generally used to make low sugar- to- flour ratio products such as breads, quick breads, biscuits, scones and so on.

The present doughs essentially comprise a leavening ingredient such as a chemical leavening ingredient or a yeast leavening ingredient that upon baking

expands the dough and forms a cellular network in the finished baked good. The leavening agent also includes an inert gas such as nitrogen, nitrous oxide, carbon dioxide or mixtures of these gases that are admixed with the dough. Leavening agents also include a combination of admixed inert gas and chemical leavening or yeast leavening agents.

By "cellular network" is meant a network of gas cells formed by an expansion of a gluten-based substrate. Ideally, the gas cells are of substantially uniform size.

In contrast, "batter" as used herein refers to an intermediate food product that comprises flour, water, eggs and salt and optionally fat and sugars that are a starch batter-based composition. In a batter, gluten development is purposefully minimized. Batters are inelastic. Liquid added to make the batter forms a continuous batter medium in which other ingredients are dispersed. A batter cooks into a soft, moist and sometimes crumbly product. A batter is typically prepared by blending, creaming, stirring or whipping and is generally thin enough to pour or scoop or squeeze out of container.

"Active leavening agent" as used herein refers to a conventional leavening system based upon leavening acid(s)--bicarbonate and to yeast leavening. An encapsulated leavening system as used herein is not "active."

### Flour

The present dough compositions comprise from about 15 to 70% of the dough as flour. Conventionally, flour is standardized to a moisture content of about 14%. Flours useful herein are of a conventional type and quality including cake flour, bread flour, and all-purpose flour. Wheat flours are preferred but other flours conventionally used in the preparation of baked goods are also employed in full or partial substitution for the wheat flour. Traditional cake flour used for layer cakes has about 8% or less protein by weight of the flour. Pastry flour ordinarily has a protein level of about 10%. Other flours such as bread flour generally have a higher protein level of about 11 to 13% by weight. One protein range for wheat flour used in the present invention is between about 9 to 10% by weight of the flour. A general all-purpose flour is also usable. This type of all-purpose flour generally comprises a mixture of both hard and soft wheat flours, i.e., both high protein level and low protein level flours. Such flours are useful if the average protein content ranges from about 8 to 10% by weight.

While chlorinated flours are used herein, unchlorinated flours are also usable because chlorination is an expensive, though unnecessary flour processing step. Unmalted flours may be used provided the flours are derived from wheats with minimal sprout damage. Enzyme inactivated flours are also usable. In particular, flours that are free of alpha-amylase activity and have a very reduced lipasic and peroxidasic activity are usable.

### **Sugar**

The dough compositions of the present invention also essentially comprise 0-5% of sugar by weight. A nutritive carbohydrate sweetener ingredient in a ratio of about 0.0 to 0.25 to 0.75 is also usable. Typically, sucrose is used in mixes for baked goods as the sugar ingredient, although up to about 30% of the sugar in the present invention food products is supplied by dextrose or other nutritive carbohydrate sweetening agents such as corn syrup solids. Commercially available milled sugar usually contains up to about 4% starch as an aid to maintaining its free-flowing properties.

Ordinary granulated sugars are satisfactory for use in the dry mix. These sugars include sucrose, dextrose, maltose, fructose, lactose, brown and invert sugars, alone or in combination. The preferred sugar is sucrose.

### **Sugar to Flour Ratio**

The baker's ratio is the weight ratio of sugar to flour. The baker's ratio is used to provide desired baked good attributes. The baker's ratio of the food products of the present invention ranges from 0% sugar to a ratio of about 0.75. In preferred variations, the doughs include both low sugar and no sugar compositions characterized by a sugar to flour ratio ranging from 0% sugar to a sugar to flour or "baker's" ratio of about 0.25:1.

### **Fat**

The dry mix compositions of the present invention, in some embodiments, comprise from about 0 to 25% of an edible fat or shortening ingredient. A shortening ingredient adds richness to the eating properties of the finished baked goods as well as aids in the leavening process.

These fat-bearing dough compositions of the present invention embodiments preferably additionally comprise from about 1% to about 15% of the shortening ingredient. A shortening component adds richness to the eating

properties of the finished baked goods. The particular fat constituent level will depend particularly upon the desired type of finished baked good desired and its properties.

Maintenance of shortening concentrations within these limits is  
5 important for providing baked goods of acceptable textural quality. The fat constituent provides a solvent into which  $N_2O$  gas dissolves as described in detail below.

Conventional shortening materials are suitable for use as the shortening ingredient of the present doughs. Such conventional shortening  
10 materials are well known in the dough art. The conventional shortenings useful herein include fatty glyceridic materials classified on the basis of their physical state at room temperature. Liquid shortenings or oils are usable and provide an advantage of ease of incorporation. Solid shortening is usable and provides an advantage of desirable mouthfeel upon consumption of the baked good. More  
15 commonly used are mixtures of liquid and solid shortenings. These mixtures are fluid or plastic depending, in part, on the level of solid fatty materials. Shortenings of this type comprise a liquid oil containing from about 2-26% normally solid fatty glycerides. This percentage corresponds to a solid content index, "SFI", at 70 and 4% to 6% at 100 F.

20 Solid fatty glycerides include fatty monoglycerides and diglycerides of saturated fatty acids having 16-22 carbon atoms. The liquid shortening is animal shortening, marine fats, vegetable or synthetic oil, such as sucrose polyesters, which are liquid at ordinary room temperature. Representative of such liquid shortenings include coconut oil, palm kernel oil, cottonseed oil, peanut oil, olive oil, sunflower  
25 seed oil, sesame seed oil, corn oil, safflower oil, poppyseed oil, soybean oil, canola (rapeseed) oil, babassue oil and the like. Other suitable shortening materials and methods of shortening preparation are described in detail in Bailey "Industrial Oil and Fat Products," (3rd ed. 1964) which is incorporated herein by reference.

Mixtures of the above oils are usable as are solid fatty materials, such  
30 as saturated triglyceride fats. In general, from about 1.5 to 25% triglycerides which are solid at 70 F are added to a liquid oil.

For certain embodiments, the preferred oils are soybean oil hydrogenated to an iodine value (IV) of from about 105 to 115, preferably about 107, corn oil, palm oil, hydrogenated palm oil, lard and tallow oils. Preferably, the  
35 oils used to prepare the shortening composition will contain only from about 1-7% hardstock. Hardstock is a hydrogenated triglyceride having an iodine value of 8 or

less. Preferred hardstocks include hydrogenated soybean oil, hydrogenated cottonseed oil, hydrogenated palm oil and hydrogenated lard or tallow.

Some embodiments of the doughs of the present invention can further comprise about 1-5% of emulsifiers. The shortening provides a convenient carrier for addition of emulsifiers to the dough. The emulsifiers aid the realization of baked goods with improved grain structure and texture. The emulsifiers are also useful to maintain the emulsion integrity of the dough over extended room temperature storage.

The emulsifier typically comprises from about 1 to 20% of the shortening component, preferably about 5 to 15% and, in some embodiments, from about 10 to 15%. Emulsifiers may be prehydrated in an aqueous dispersion and added to the dough. The emulsifiers in other embodiments are part of an emulsion or dispersion with or without a fat component. Generally useful as emulsifier components of the shortening ingredient are partially esterified polyhydric compounds having surface active properties. This class of emulsifiers includes among others, mono and diglycerides of fatty acids, such as monopalmitin, monostearin, monoolein, and dipalmitin; partial fatty esters of glycols, such as propylene glycol monostearate and monobehenate; higher fatty acid esters of sugars, such as the partial palmitic and oleic acid esters of sucrose; and phosphoric and sulphuric acid esters, such as dodecylglyceryl ether sulfate and monostearin phosphate. Other examples include the partial esters of hydroxy carboxylic acid such as lactic, citric, and tartaric acids with polyhydric compounds, for example, glycerol lacto palmitate and the polyoxyethylene ethers of fatty esters of polyhydric alcohols, such as polyoxyethylene ether of sorbitan monostearate or distearate. Fatty acids alone or esterified with a hydroxy carboxylic acid, e.g., stearyl-2-lactylate are also useful.

In certain variations, all or a portion of the emulsifier component is preblended with the shortening or fat component. However, in other variations, a portion of the emulsifiers can be prehydrated and added along with the other wet ingredients. In still other variations, the emulsifiers can be plated onto various solid carriers such as flour, starch, sugars, milk powders, and the like, and admixed in with the various dry ingredients.



### Moisture

The doughs of the present invention have a total moisture content of 10% to 20%. The total moisture includes water provided with or associated with the various essential and optional ingredients. For example, total moisture includes the moisture associated with flour, starch, flavorings such as cinnamon and especially liquid eggs. The total moisture is determined by a vacuum oven drying of the doughs herein. In certain preferred embodiments, no added water is employed to formulate the present doughs. Moisture is provided in pasteurized liquid eggs and the residual moisture associated with the dry ingredients.

The particular selection of ingredients and concentration are selected to provide doughs having a water activity that is less than 0.85. For some embodiments, the water activity is less than 0.50. Selection of such water activity value is important in achieving a balance between microbial shelf stability and dough handling characteristics. Water activity is reduced by using polyols such as glycerol and sorbitol; using little or no water to make the dough and by having salt, or sugar in the dough.

The present doughs are preferably not acidified and thus range in pH from about 6.5 to 8.0. In certain embodiments, the doughs herein can be essentially free of conventional activated leavening acids. The combination of a low oxygen gas in the head space and low water activity are sufficient to maintain shelf stability at room temperature.

If desired, the doughs further comprise about 1-8% of a humectant, preferably about 1-6%. Humectant addition is helpful in achieving the present essential water activity level and the microbial shelf stability at room temperature provided by the present food products. The humectant is any commonly employed humectant ingredient. Preferred humectants are selected from a group consisting of sorbitol, xylitol, mannitol, glycerin, glycerol, propylene glycol and mixtures thereof.

In other embodiments, the food articles of the present invention comprise an anti-mycotic ingredient such as sodium, potassium sorbate, calcium propionate, parabens, or propionic acid. While not needed to maintain shelf stability addition of such anti-mycotic ingredients so desired from a food safety standpoint anti-mycotic in case the physical integrity of the food product is comprised and compromised and oxygen leaks into the head space. Concentration ranges for calcium propionate from (0% to 0.2%) or while parabens concentration ranges from 0-0.1%.

09707484-10600

The food product of the present invention is specifically described in terms of sweet rolls, biscuits, scones and cinnamon rolls. Sweet rolls and cinnamon rolls are made from a dough having a pH of 6 to 8.

The leavened dough products of the present invention do not require a conventional activated acid/soda chemical leavening system. Some leavened dough embodiments include chemical leavening agents that are encapsulated and dispersed within the dough. However, these encapsulated leavening agents are not activated until heated at the time of baking. For instance, some dough embodiments include capsules that comprise sodium bicarbonate which has a coating of fat that melts during baking. The soda then reacts with leavening acids to leaven the product. The principle mechanism of leavening is incorporation of a gas such as  $N_2O$ ,  $CO_2$  or  $N_2$  within the dough and a creation of air cells within the dough.

The dough of the present invention optionally includes a variety of ingredients suitable for rendering finished baked goods prepared therefrom more organoleptically desirable. These optional dry mix components include anti-oxidants, flavor/coloring agents, flavor chips, nuts and fruit pieces or other edible inclusions. The dough of the present invention also may include an ingredient such as inactivated yeast cells to impart a yeast flavor.

Another optional ingredient includes nonfat dry milk solids. Nonfat dry milk solids aid the structuring of the finished baked good. If present, such dry milk solids comprise from about 0.5 to 2.0% of the present doughs.

The product of the present invention also includes a container, dough stored within the container, the dough expanded with an inert gas, with a head space over the dough and inert gas within the head space. The inert gas comprises  $N_2O$ ,  $CO_2$  or  $N_2$  or combinations of these gases. Residual oxygen content is less than 4% and for best results is less than 2%. For some embodiments, the food products of the present invention comprise  $N_2O$  in the headspace. The  $N_2O$  is partially dissolved in the dough and is in equilibrium with the inert gas in the headspace. An advantage is that the  $N_2O$  functions as one of or even the sole leavening agent in the dough. Addition of  $N_2O$  also to the headspace facilitates equilibrium between the headspace and the dough.

For some embodiments, the headspace comprises at least 10% (v/v) of  $CO_2$ , and may be at least 20%. At such levels, the  $CO_2$  provides modest preservative properties against spoilage.

## **METHOD OF PREPARATION**

The doughs of the present invention are prepared by blending the essential and optional components such as flour, salt, optionally sugar, shortening or oil, water and glycerol or other polyol together in such a conventional manner as to  
5 produce a well blended, low density  $N_2O$  containing dough having densities ranging from about 0.7 to 1.1 g/cc. The dough is prepared from a wet emulsifier premix blend and a dry blend. The wet emulsifier premix blend includes oil or liquid shortening, eggs, glycerol, emulsifiers and so on. The dry blend includes flour, optionally sugar, salt and so on. The dry blend and wet blend are then combined  
10 under anaerobic conditions to form a dough. The dough can, for example, be prepared in a batch or a continuous mixing device adapted to add gas such as nitrous oxide to the dough.

The  $N_2O$  is admixed with the dough to form a low-density dough in any convenient manner. For example, the admixture step, for some embodiments is  
15 practiced using a twin screw extruder equipped with a gas injection mechanism. The dry ingredients and wet ingredients are added to the twin screw extruder to form a dough. At a later stage of the extruder,  $N_2O$  gas is injected and mixed in the extruder with the dough to incorporate sufficient amounts of  $N_2O$  to form the low density  $N_2O$  containing dough. An advantage of using a twin screw extruder is that  
20 a single piece of equipment is used to prepare the dough and to incorporate the  $N_2O$  to form the low-density dough.

Another embodiment comprises preparing a high density dough, e.g. (i.e., about 1.1 g/cc to about 1.4 g/cc.) preferably 1.10 to 1.25 g/cc, using conventional dough preparation mixers and techniques. Thereafter, in a separate  
25 substep or piece of equipment,  $N_2O$  is admixed with the high-density dough to form the present low-density dough (0.7 to 1.2 g/cc). For example, one well-known "Mondomix" mixer is used to emulsify and aerate gas, liquid and solid mixtures. The Mondomix mixer is manufactured by Mondomix B.V. of ZH Nederhorst den Berg in The Netherlands. The Mondomix mixer comprises a stainless steel mixing  
30 head which operates from 200 to 2,000 rpm. The mixer comprises 150 square stainless steel pins distributed in an intermeshing array between a rotor and an stator. These elements are positioned within a mixing chamber with an effective volume of 300 ml. The mixing chamber is double jacketed to control product temperature when mechanical energy is introduced to emulsify and aerate product  
35 streams.

One other mixer, a well-known "Goodway" mixer is often used in the aerated confection industry to aerate confection slurry to form aerated foam. The CM-6 continuous mixer/foamer manufactured by Goodway Sales, Inc., 175 Orville Drive, Bohemia, New York comprises a mixing chamber fed by a positive displacement pump and air flow system. Product flow is controlled by flowmeter adjustment. Variable speed motors with ten turn controls power the mixer and pump drives. Stainless steel concentric rows of intermeshing teeth on two stators and one rotor produce a uniformity and consistency in the mix.

The high density dough is fed to the Mondomix mixer or the Goodway mixer. An  $N_2O$  supply feeds the mixer. After incorporation, a low density  $N_2O$  containing dough is formed. Other well-known apparatus and techniques, whippers or aerators are usable to practice the  $N_2O$  incorporation into the dough step, e.g. an "Oakes" whipper. ..

The incorporation of  $N_2O$  herein is distinguishable from merely flushing of  $O_2$  with  $N_2O$  as known in the art, even when several flushing cycles are practiced. Such mere flushing of  $O_2$  with  $N_2O$  does not result in a low-density dough as in the present invention.

Desired quantities of the  $N_2O$  containing doughs are then charged or are otherwise disposed within the container to partially fill the container. For other dough embodiments that are not charged, the dough is also disposed within the container. The container is then flushed with an inert gas to remove residual air and to insure low oxygen in the headspace. Oxygen is equal to or less than 4% by volume. The containers are then sealed to form the finished ready-to-bake container articles. The articles have an extended shelf stability at room temperature and do not require refrigerated storage.

The temperature of dough during filling step can be at room temperature to warm temperature, e.g., 60 to 100 F (21.1 to 37.7 C). The packaged ready-to-bake baked goods dough articles herein do not require heat treatment such as pasteurization or refrigeration in order to obtain shelf stability notwithstanding having a relatively high pH. The products enjoy microbial stability and retain their good baking properties for as long as four to nine months at room temperature storage. The articles are packaged to be substantially unpressurized, i.e. can be packaged at atmospheric pressure.

The present doughs are conveniently prepared into finished baked goods by simple addition to a suitable baking container or pan and baking to form a finished baked good is charged into a baking container and baked for sufficient

times, for example, at 160 to 218.3 C (325 to 425 F) for about 10 to 40 minutes to form a finished baked good.

Baking time depends on the thickness of the dough in the pan, with a longer bake time required for a thicker (higher) dough. Bake times range between  
5 about 10 to 45 minutes. The resultant finished baked goods are characterized by a springy texture. The finished baked goods are further characterized by being expanded or leavened and typically have densities ranging from about 0.3 to 0.6 g/cc. The finished baked goods are ready for immediate consumption or can be prepared on a commercial scale for distribution.

10 While the present invention finds particular suitability for use in connection with baked items such as biscuits, scones, quick breads, cinnamon rolls, sweet rolls, and so forth.

Also, while the present articles do not require refrigeration, the articles can be cooled and stored at refrigeration temperatures.

15 Thus since the invention disclosed herein may be embodied in other specific forms without departing from the spirit or general characteristics thereof, some of which forms have been indicated, the embodiments described herein are to be considered in all respects illustrative and not restrictive. The scope of the invention is to be indicated by the appended claims, rather than by the foregoing  
20 description, and all changes, which come within the meaning and range of equivalency of the claims, are intended to be embraced therein.

What is claimed is:

1. A ready-to-use dough article, comprising:  
a substantially gas-impermeable container;  
5 a dough having a cellular network disposed within the container,  
comprising:  
flour, a fat and water wherein the water activity is less than about  
0.85; and  
an inert gas disposed within the container and within the cellular network of  
10 the dough containing less than 4% residual oxygen wherein the  
dough is substantially free of an active leavening agent.
2. The dough article of claim 1 wherein the dough is substantially free of a CO<sub>2</sub>  
gas producing leavening agent.
- 15 3. The dough article of claim 1 wherein the dough comprises an encapsulated  
leavening ingredient.
4. The dough article of claim 1 wherein the dough further comprises a polyol.
- 20 5. The dough article of claim 1 wherein the inert gas is nitrous oxide or  
nitrogen or carbon dioxide or mixtures of these gases.
6. The dough article of claim 1 wherein the inert gas is a mixture of carbon  
25 dioxide and nitrous oxide.
7. The dough article of claim 1 wherein the dough is substantially free of sugar.
8. The dough article of claim 1 wherein the gas-impermeable container  
30 comprises a pouch.
9. The dough articles of claim 1 wherein the gas-impermeable container  
comprises a baking pan.
- 35 10. The dough article of claim 1 wherein the dough comprises a cellular  
network.

11. The dough article of claim 1 wherein the dough is a biscuit dough.
12. The dough article of claim 1 wherein the dough is a roll dough.
- 5 13. The dough article of claim 1 wherein the dough is a scone dough.
14. The dough article of claim 1 wherein the fat does not exceed about 25% of the dough by weight.
- 10 15. The dough article of claim 1 wherein the density of the dough ranges from 0.7 to 1.1 g/cc.
16. A method for making a ready-to-use dough article, comprising:  
15       preparing a dry blend comprising flour;  
          preparing a wet blend comprising water and fat;  
          mixing the wet blend and dry blend to form a dough that has a water  
          injecting an inert gas into the dough to form a dough that comprises a  
                                  cellular structure.
- 20 17. The method of claim 16 and further comprising mixing the dough concurrently with injecting the inert gas.
18. The method of claim 16 and further comprising adding an encapsulated  
25 leavening agent to the dough.
19. The method of claim 18 wherein the encapsulated leavening agent is added to the dry blend.
- 30 20. The method of claim 18 wherein the wet blend and dry blend are combined under anaerobic conditions.
21. The method of claim 16 and further comprising adding the dough to a gas-impermeable container after injecting with the inert gas.
- 35 22. The method of claim 21 wherein the dough is added to the container at room temperature.

23. The method of claim 21 and further comprising sealing the container so as to form a headspace that has an oxygen concentration that is not more than 4% by volume.

5

24. The method of claim 22 wherein the sealed container is substantially free of pressurization.

25. The method of claim 21 and further comprising baking the dough in the container.

10

26. A method for expanding a dough, comprising:  
preparing a high density dough; and  
admixing an inert gas into the high density dough to make a low density dough with an expanded, cellular structure.

15

27. A ready-to-use dough article, comprising:  
A substantially gas-impermeable container;  
A dough disposed within the container, comprising:  
Flour, a fat, water wherein the water activity is less than about 0.85 and an encapsulated leavening ingredient; and  
An inert gas disposed within the container containing less than about 4% residual oxygen.

20

28. The dough article of claim 27 wherein the inert gas is nitrous oxide or nitrogen or carbon dioxide or mixtures of these gases.

25

29. A ready-to-use dough article, comprising:  
A substantially gas-impermeable container;  
A dough having a cellular network disposed within the container, comprising:  
Flour, a fat, water wherein the water activity is less than about 0.85, and an encapsulated leavening agent; and  
An inert gas disposed within the container containing less than 4% residual oxygen.

30

35



30. The dough article of claim 29 wherein the dough is pizza dough, biscuit dough or English muffins.

## ABSTRACT

The present invention includes a ready-to-use dough article that provides an  
5 expanded baked product, such as a roll, pizza dough or scone. The dough article  
comprises a substantially gas-impermeable container. The dough article also  
comprises a dough having a cellular network that is substantially free of an active  
leavening agent. The dough is disposed within the container. The dough article  
also comprises an inert gas that is disposed within the container.

"Express Mail" mailing label number: EL618436971US

Date of Deposit: November 6, 2000

This paper or fee is being deposited on the date indicated above with  
the United States Postal Service pursuant to 37 CFR 1.10, and is  
addressed to the Commissioner for Patents, Box Patent Application,  
Washington, D.C. 20231.

SCHWEGMAN ■ LUNDBERG ■ WOESSNER ■ KLUTH

# United States Patent Application

## COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that

I verily believe I am the original, first and sole inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled: **INERT-GAS BASED LEAVENED DOUGH SYSTEM**.

The specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with 37 C.F.R. § 1.56 (attached hereto). I also acknowledge my duty to disclose all information known to be material to patentability which became available between a filing date of a prior application and the national or PCT international filing date in the event this is a Continuation-In-Part application in accordance with 37 C.F.R. § 1.63(e).

I hereby claim foreign priority benefits under 35 U.S.C. § 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on the basis of which priority is claimed:

**No such claim for priority is being made at this time.**

I hereby claim the benefit under 35 U.S.C. § 119(e) of any United States provisional application(s) listed below:

**No such claim for priority is being made at this time.**

I hereby claim the benefit under 35 U.S.C. § 120 or 365(c) of any United States and PCT international application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose material information as defined in 37 C.F.R. § 1.56(a) which became available between the filing date of the prior application and the national or PCT international filing date of this application:

**No such claim for priority is being made at this time.**

I hereby appoint the following attorney(s) and/or patent agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith:

Anglin, J. Michael	Reg. No. 24,916	Hill, Stanley K.	Reg. No. 37,548	Nelson, Albin J.	Reg. No. 28,650
Beekman, Marvin L.	Reg. No. 38,377	Huebsch, Joseph C.	Reg. No. 42,673	Nielsen, Walter W.	Reg. No. 25,539
Bianchi, Timothy E.	Reg. No. 39,610	Jurkovich, Patti J.	Reg. No. 44,813	O'Toole, John A.	Reg. No. 28,336
Billion, Richard E.	Reg. No. 32,836	Kalis, Janal M.	Reg. No. 37,650	Oh, Allen J.	Reg. No. 42,047
Black, David W.	Reg. No. 42,331	Kaufmann, John D.	Reg. No. 24,017	Padys, Danny J.	Reg. No. 35,635
Brennan, Leoniede M.	Reg. No. 35,832	Klima-Silberg, Catherine I.	Reg. No. 40,052	Parker, J. Kevin	Reg. No. 33,024
Brennan, Thomas F.	Reg. No. 35,075	Kluth, Daniel J.	Reg. No. 32,146	Perdok, Monique M.	Reg. No. 42,989
Brooks, Edward J., III	Reg. No. 40,925	Lacy, Rodney L.	Reg. No. 41,136	Prout, William F.	Reg. No. 33,995
Chu, Dinh C.P.	Reg. No. 41,676	Lemaire, Charles A.	Reg. No. 36,198	Schumm, Sherry W.	Reg. No. 39,422
Clark, Barbara J.	Reg. No. 38,107	LeMoine, Dana B.	Reg. No. 40,062	Schwegman, Micheal L.	Reg. No. 25,816
Clise, Timothy B.	Reg. No. 40,957	Lundberg, Steven W.	Reg. No. 30,568	Scott, John C.	Reg. No. 38,613
Dahl, John M.	Reg. No. 44,639	Maeyaert, Paul L.	Reg. No. 40,076	Smith, Michael G.	Reg. No. 45,368
Drake, Eduardo E.	Reg. No. 40,594	Maki, Peter C.	Reg. No. 42,832	Speier, Gary J.	Reg. No. 45,458
Embretson, Janet E.	Reg. No. 39,665	Malen, Peter L.	Reg. No. 44,894	Steffey, Charles E.	Reg. No. 25,179
Fordenbacher, Paul J.	Reg. No. 42,546	Mates, Robert E.	Reg. No. 35,271	Terry, Kathleen R.	Reg. No. 31,884
Forrest, Bradley A.	Reg. No. 30,837	McCrackin, Ann M.	Reg. No. 42,858	Tong, Viet V.	Reg. No. 45,416
Gamon, Owen J.	Reg. No. 36,143	Moore, Charles L., Jr.	Reg. No. 33,742	Viksins, Ann S.	Reg. No. 37,748
Harris, Robert J.	Reg. No. 37,346	Nama, Kash	Reg. No. 44,255	Woessner, Warren D.	Reg. No. 30,440

I hereby authorize them to act and rely on instructions from and communicate directly with the person/assignee/attorney/firm/organization/who/which first sends/sent this case to them and by whom/which I hereby declare that I have consented after full disclosure to be represented unless/until I instruct Schwegman, Lundberg, Woessner & Kluth, P.A. to the contrary.

Please direct all correspondence in this case to **Schwegman, Lundberg, Woessner & Kluth, P.A.** at the address indicated below:

**P.O. Box 2938, Minneapolis, MN 55402**

**Telephone No. (612)373-6900**

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of sole inventor : **Venky Narayanaswamy**  
 Citizenship: **United States of America** Residence: **Maple Grove, MN**  
 Post Office Address: **7000 Magda Drive #306**  
**Maple Grove, MN 55369**

Signature: \_\_\_\_\_ Date: \_\_\_\_\_  
**Venky Narayanaswamy**

Full Name of inventor:  
 Citizenship: Residence:  
 Post Office Address:

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

# § 1.56 Duty to disclose information material to patentability.

(a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclose information exists with respect to each pending claim until the claim is canceled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is canceled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclose all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§ 1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:

- (1) prior art cited in search reports of a foreign patent office in a counterpart application, and
- (2) the closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.

(b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and

- (1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or
- (2) It refutes, or is inconsistent with, a position the applicant takes in:
  - (i) Opposing an argument of unpatentability relied on by the Office, or
  - (ii) Asserting an argument of patentability.

A prima facie case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

- (c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:
- (1) Each inventor named in the application;
  - (2) Each attorney or agent who prepares or prosecutes the application; and
  - (3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.
- (d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.